



भारतीय मानक ब्यूरो

उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय
भारत सरकार

BUREAU OF INDIAN STANDARDS

Ministry of Consumer Affairs, Food & Public Distribution
Government of India

Our Ref: CM/L- 8200197212

Dated: 08 Sep 2025

Subject: Grant of BIS Product Certification Licence No. 8200197212 as per IS 1180 (PART 1) :2014

मेसर्स आरडीएनएक्स इंडस्ट्रीज प्राइवेट लिमिटेड
सर्वे नंबर 1637/4/1, अवार, सिरपोई रोड शहर: आगर
जिला: आगर राज्य: मध्य प्रदेश पिन कोड: 465441

Dear Sir,

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product: - Outdoor/Indoor Type Oil Immersed Distribution Transformers up to and including 2500 kVA, 33 kV - Specification: Part 1 Mineral Oil Immersed.

Scope:- 1) Standard Rating Upto and including 200 kVA Nominal System Voltage 11/0.433 kV Three phase Non-Sealed Aluminium wound CRGO core EEL 2 distribution Transformer.

2) Standard Rating Upto and including 100 kVA Nominal System Voltage 11/0.433 kV Three phase Non-Sealed Aluminium wound CRGO core EEL 2 distribution Transformer.

3) Standard Rating Upto and including 63 kVA Nominal System Voltage 11/0.433 kV Three phase Non-Sealed Aluminium wound CRGO core EEL 2 distribution Transformer.

4) Standard Rating Upto and including 25 kVA Nominal System Voltage 11/0.433 kV Three phase Non-Sealed Aluminium wound CRGO core EEL 2 distribution Transformer.

As per IS 1180 (PART 1)

The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

2. The number assigned to this Licence is **CM/L- 8200197212** which has been made operative from **20 Aug 2025** and is valid up to **19 Aug 2026**. The licence number shall invariably be referred to in your future correspondence.

3. Further, you should cover the entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. In addition, you should display the BIS product certification licence prominently at your premises and also mention the BIS product certification licence held by you in your commercial advertisements.

4. According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee for use of Standard Mark as per Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you with effect from **20 Aug 2025** for the period of validity of the licence in advance.

Kishan

भोपाल शाखा कार्यालय : 'मानकालय', ई-5, अरेरा कॉलोनी, बिट्टन मार्केट, भोपाल - 462016 (म.प्र.)
BHOPAL BRANCH OFFICE : 'Manakalaya', E-5, Arera Colony, Bittan Market, Bhopal - 462016 (M.P.)
दूरभाष / Tel.: 0755-2423449, 2423452, 2423454, 2420493, 2442550 फैक्स/Fax : 0755-2423451
ई-मेल/E-mail : bpbo@bis.gov.in वेबसाईट/Website : www.bis.gov.in

मुख्यालय : मानक भवन, 9, बहादुरशाह ज़फ़र मार्ग, नई दिल्ली - 110002

Headquarter : Manak Bhavan, 9, Bahadur Shah Zafar Marg, New Delhi - 110002

5. Minimum Marking fee stipulated in Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipt No. **AA82PC2025000598** dated **21 July 2025** for the licence fee and the minimum marking fee for the first operative period is already issued.

6. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.

7. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

8. The Scheme of Inspection and Testing (SIT) specified by PM/ IS 1180 (Pt 1)/ 3/ April 2021 Accepted on dtd. 08 August 2025 will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

9. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

10. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

11. This licence is granted for your manufacturing premises प्लॉट नं. 58 बिता इंडस्ट्रियल पार्क जाख्या सांवेर शहर: इंदौर इंडस्ट्रियल एरिया जिला: इंदौर, राज्य: मध्य प्रदेश पिन कोड: 453555. Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

12. It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn by BIS during the verification visit before grant of licence, fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation (Applicable for GOL under option 2).

13. You are also advised to make yourself and other employees in your organization aware about the provisions of the BIS Act, 2016 and Rules and Regulations framed there under especially the implications in case of any intentional or unintentional non-adherence.

14. As per the undertaking submitted by you, the ratings/varieties, which are covered in the scope of the licence without testing, by virtue of the grouping guidelines, will conform to the requirements of the Indian Standard before applying the Standard Mark and you are required at the first instance to get the transformer tested at BIS recognized laboratories/Group-2 category of Laboratory for all parameters under Routine Tests and Type tests. Such test reports of conformity shall be produced to BIS for records.

15. The licensee shall submit an independent test report from a BIS-recognized laboratory for the first instance of manufacturing of each new variety covered under the scope of the licence. This report must be submitted prior to the dispatch or sale of the product in the market. No product shall be released in the market without compliance to this requirement.

Thanking you,

भवदीय

गोहमद रिजवान

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक चिन्ह के उपयोग के लिए अनुज्ञप्ति
Licence for the use of STANDARD MARK

लाइसेंस सं. सीएम/एल – 8200197212
Licence No. CM/L – 8200197212

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मेसर्स आरडीएनएक्स इंडस्ट्रीज प्राइवेट लिमिटेड
सर्वे नंबर 1637/4/1, अवार, सिरपोई रोड शहर: आगर
जिला: आगर राज्य: मध्य प्रदेश पिन कोड: 465441

को (जिसे इसमें आगे अनुज्ञप्तिधारी कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिन्ह का, इस अनुसूची के तीसरे स्तंभ में दी गई किस्मों पर, उपयोग करने के लिए यह अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मों पर चिन्ह का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबद्ध भारतीय मानक(मानकों) के अनुसार/अनुरूप विनिर्मित हो ।

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

M/s RDNX Industries Private Limited
Survey No. 1637/4/1, Awar, Sirpoi Road
City: Agar District: Agar State: Madhya Pradesh Pincode:465441

(hereinafter called 'the Licensee) this Licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी है। यह अनुज्ञप्ति अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-1 में निर्दिष्ठानुसार नवीकृत कराया जा सकता है।

2. This Licence carries obligations on part of the licensee as conditions of licence which are given in Annexure attached herewith. This licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the Scheme-I.

अनुसूची
SCHEDULE

अनुज्ञप्ति सं. सीएम/एल - 8200197212

Licence No. CM/L- 8200197212

नाम : मेसर्स आरडीएनएक्स इंडस्ट्रीज प्राइवेट लिमिटेड

कारखाने का पता : सर्वे नंबर 1637/4/1, अवार, सिरपोई रोड शहर: आगर जिला: आगर राज्य: मध्य प्रदेश
पिन कोड: 465441

Name : M/s RDNX Industries Private Limited

Factory Address : Survey No. 1637/4/1, Awar, Sirpoi Road City: Agar District: Agar State: Madhya Pradesh Pincode:465441

विधिमान्यता : बीस अगस्त दो हजार पच्चीस से उन्नीस अगस्त दो हजार छब्बीस तक।

Validity from : Twenty August Two Thousand and Twenty Five to Nineteen August Two Thousand Twenty Six.

मानक चिन्ह Standard Mark	भारतीय मानक Indian Standard	अनुज्ञप्ति का विषय क्षेत्र Scope of Licence	चिहनांकन फीस Marking Fee
(1)	(2)	(3)	(4)
IS 1180  PART 1 CM/L- 8200197212	भा मा 1180 (PART 1) : 2014 बाह्य-रंग तेल इम्मेर्स्ड वितरण ट्रांसफॉर्मर तक 2500 kVA, 33 kV - विशिष्टि भाग 1- मिनरल तेल निमिज्जित IS 1180 (PART 1) : 2014 Outdoor/Indoor Type Oil Immersed Distribution Transformers up to and Including 2500 kVA, 33 kV - Specification : Part 1 Mineral Oil Immersed	Annexure attached	सभी इकाइयों के लिए रु. 3.00 प्रति यूनिट माइक्रो स्केल एंटरप्राइजेज इकाइयों के लिए न्यूनतम अंकन शुल्क रु 1,14,000 के साथ। इकाई: 1 केवीए Rs. 3.00 per unit for all units with a minimum marking fee of रु 1,14,000 for Micro Scale Enterprises units. Unit: 1 KVA

आज वर्ष दो हजार पच्चीस के सितम्बर माह की आठ तारीख को हस्ताक्षरित, मुहरबंद किया गया।

Signed Sealed and Dated this Eight day of September Month of year Two Thousand and Twenty Five.

भारतीय मानक ब्यूरो के लिए
for BUREAU OF INDIAN STANDARDS



(मोहम्मद रिजवान)

वैज्ञानिक- ई /निदेशक एवं प्रमुख
Scientist E /Director & Head

उपाबंध
Annexure

लाइसेंस सं. सीएम/एल - 8200197212
Licence No. CM/L - 8200197212

भा मा 1180 (PART 1) : 2014
IS 1180 (PART 1) : 2014

नाम : मेसर्स आरडीएनएक्स इंडस्ट्रीज प्राइवेट लिमिटेड

कारखाने का पता : सर्वे नंबर 1637/4/1, अवार, सिरपोई रोड शहर: आगर जिला: आगर राज्य: मध्य प्रदेश

पिन कोड: 465441

Name : M/s RDNX Industries Private Limited

Factory Address : Survey No. 1637/4/1, Awar, Sirpoi Road City: Agar District: Agar State: Madhya Pradesh Pincode:465441

प्रोडक्ट:- बाह्य-रंग तेल इमर्सेड वितरण ट्रांसफार्मर तक 2500 kVA, 33 kV - विशिष्टि भाग 1- मिनरल तेल निमिज्जित
Product:- Outdoor/Indoor Type Oil Immersed Distribution Transformers up to and Including 2500 kVA, 33 kV - Specification : Part 1 Mineral Oil Immersed-

Scope:- :- 1) Standard Rating Upto and including 200 kVA Nominal System Voltage 11/0.433 kV Three phase Non-Sealed Aluminium wound CRGO core EEL 2 distribution Transformer.

2) Standard Rating Upto and including 100 kVA Nominal System Voltage 11/0.433 kV Three phase Non-Sealed Aluminium wound CRGO core EEL 2 distribution Transformer.

3) Standard Rating Upto and including 63 kVA Nominal System Voltage 11/0.433 kV Three phase Non-Sealed Aluminium wound CRGO core EEL 2 distribution Transformer.

4) Standard Rating Upto and including 25 kVA Nominal System Voltage 11/0.433 kV Three phase Non-Sealed Aluminium wound CRGO core EEL 2 distribution Transformer



(मोहम्मद रिजवान)

वैज्ञानिक- ई /निदेशक एवं प्रमुख
Scientist E /Director & Head

उपाबंध

(अनुज्ञप्ति सं. सीम/एल- 8200197212)

अनुज्ञप्ति की शर्तें

1. मानक चिन्ह का डिजाईन अनुज्ञप्ति में दी गई गई प्रतिकृति के आनुषंगिक होगा ।
2. मानक चिह्न के फोटोग्राफिक विस्तार अथवा लघुकरण का उपयोग भी किया जा सकता है जब तक ब्यूरो द्वारा कोई अन्य विनिर्दिष्ट न दिए गए हों ।
3. अनुज्ञप्तिधारी उस संबंध माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा की भारतीय मानक के अनुसार अनुरूपता के लिए उत्तरदायी होगा जिसके लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग किया गया है ।
4. अनुज्ञप्तिधारी उस माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा के लिए मानक चिन्ह का उपयोग नहीं करेगा जो गैर-अनुरूप अथवा अनुज्ञप्ति के विषय- क्षेत्र से बाहर है ।
5. जिस माल और वस्तुओं के लिए मानक चिन्ह का उपयोग किया गया है अगर वे संबंध मानक की अपेक्षाओं के अनुरूप नहीं हैं, तो ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को ऐसे गैर-अनुरूपता वाले माल को वापिस लेने का निदेश दे सकता है ।
6. अनुज्ञप्ति के आस्थगन अथवा निलंबन के दौरान अथवा उसकी समाप्ति अथवा रद्द होने के पश्चात् किसी संबंध माल, वास्तु, प्रक्रिया, उपयोग अथवा सेवा के लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग नहीं किया जाएगा ।
7. अनुज्ञप्ति को उस अनुरूपता आकलन योजना के उपाबंधो का पालन करना होगा जिसके अंतर्गत उसे अनुज्ञप्ति प्रदान किया गया है जिसमें लेबलिंग और चिन्हांकान अपेक्षाए भी शामिल है ।
8. अनुज्ञप्ति ब्यूरो द्वारा समय-समय प्र यथा-विनिर्दिष्ट अभिलेख अनुरक्षित रखेगा ।
9. अनुज्ञप्ति अपने परिसरों में निरीक्षण अथवा लेखापरीक्षा करने से सम्बंधित सभी प्रकार की सहायता ब्यूरो को उपलब्ध कराएगा ।
10. अनुज्ञप्ति उत्पाद और मानक चिन्ह के उपयोग अथवा अनुप्रयोग से सम्बंधित जानकारी जब अपेक्षा ब्यूरो को प्रदान करेगा ।
11. यदि माल अथवा वस्तुओं पर मानक चिन्ह का उपयोग अथवा अनुप्रयोग के लिए अनुज्ञप्ति प्रदान किया गया हो तो अनुज्ञप्तिधारी को उन परेषिती, वितरकों, व्यौहारी अथवा फुटकर विक्रेता की सूची देनी होगी, जिनको मानक चिन्ह वाले माल अथवा वस्तुओं की आपूर्ति की गई है ।
12. ब्यूरो के अनुमोदन के बिना अनुज्ञप्ति किसी व्यक्ति को अंतरित नहीं किया जाएगा ।
13. मानक चिन्ह वाले किसी माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा से सम्बंधित शिकायत प्रमाणित होने पर ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को मानक मुहरांकित माल और वस्तुओं की मरम्मत अथवा बदलने अथवा पुननिर्माण के निर्देश दे सकता है ।
14. अनुज्ञप्तिधारी को कम से कम एक माह के नोटिस से कर ब्यूरो, अनुज्ञप्ति की किसी शर्त को संशोधन का अधिकार रखता है ।

Annexure-1

(Licence No. CM/L- 8200197212)

Conditions of the Licence

1. The design of Standard Mark shall be identical to the facsimile given in the licence.
2. The photographic enlargement or reduction of the Standard Mark may also be used. Unless otherwise specified by the Bureau.
3. The licensee shall be responsible for the conformity of the goods, articles, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.
4. The licensee shall not use the Standard Mark in relation to goods, articles, process, system or service which are non-conforming or outside the scope of the licence.
5. If goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall such non-conforming goods.
6. The Standard Mark shall not be used or applied in relation to any goods, articles, process, system or service during deferment or suspension, or, after expiry or cancellation of the licence.
7. The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labeling and marking requirements.
8. The licensee shall maintain records as specified by the Bureau from time to time.
9. The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit at its premises.
10. The licensee shall provide information relating to production and use or applying of Standard Mark as and when it is required by the Bureau.
11. If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.
12. The licence shall not be transferred to any person without approval of the Bureau.
13. If a complaint regarding quality of any goods, articles, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative to repair or replace or reprocess the standard marked goods and articles.
14. The Bureau shall have the right to amend any of the conditions of licence by giving a notice of not less than one month to the licensee.